

General biochemicals

In Life Sciences there are several biochemicals that can be used in different workflows.

At ITW Reagents we categorize them as general biochemicals and they can be used for **biological research, biochemical workflows and bioanalysis**.

Below you will find a list of PanReac AppliChem branded biochemicals that are specially designed for these purposes and meet the highest quality requirements.



| Product code | Product name | CAS number | Pack sizes |
|--------------|--|------------|----------------------------|
| A3701 | Acetic Acid 100% BioChemica | 64-19-7 | 1 L, 2.5 L |
| A2940 | Boric Acid for molecular biology | 10043-35-3 | 1 kg |
| A6932 | Bradford - Solution for protein determination | | 500 mL |
| A4689 | Calcium Chloride 2-hydrate for molecular biology | 10035-04-8 | 250 g |
| A3691 | Chloroform BioChemica | 67-66-3 | 1 L |
| A3678 | Ethanol absolute for molecular biology | 64-17-5 | 250 mL, 500 mL, 1 L, 2.5 L |
| A8075 | Ethanol absolute for molecular biology (untaxed) | 64-17-5 | 1 L, 2.5 L |
| A1422 | D(+)-Glucose anhydrous BioChemica | 50-99-7 | 1 kg, 5 kg |
| A1349 | D(+)-Glucose 1-hydrate BioChemica | 77938-63-7 | 5 kg |
| A2926 | Glycerol anhydrous for molecular biology | 56-81-5 | 500 mL, 1 L, 2.5 L |
| A1123 | Glycerol anhydrous BioChemica | 56-81-5 | 1 L, 2.5 L |
| A3739 | Glycerol 87% for molecular biology | 56-81-5 | 1 L |
| A0970 | Glycerol 87% BioChemica | 56-81-5 | 1 L, 5 L |
| A1108 | β-Mercaptoethanol for molecular biology | 60-24-2 | 100 mL |
| A3493 | Methanol BioChemica | 67-56-1 | 1 L, 5 L |
| A3872 | Potassium Iodide BioChemica | 7681-11-0 | 500 g |
| A3928 | 2-Propanol for molecular biology | 67-63-0 | 500 mL, 1 L, 2.5 L |
| A3465 | 2-Propanol BioChemica | 67-63-0 | 2.5 L, 5 L |
| A1430 | Sodium Azide pure | 26628-22-8 | 100 g, 500 g, 1 kg |
| A6579 | Sodium Hydroxide 1 mol/L (1 M) for molecular biology | 1310-73-2 | 1 L |
| A1530 | Sodium Pyruvate for analysis | 113-24-6 | 1 kg |
| A0544 | di-Sodium Tetraborate anhydrous pure | 1330-43-4 | 25 kg |
| A7398 | Water for molecular biology | 7732-18-5 | 500 mL, 1 L, 5 L |
| A4042 | Water bidistilled, sterile | 7732-18-5 | 500 mL, 1 L |

Biological buffers

Many biochemical processes are significantly impaired even by small changes in the pH value. Therefore, it is often necessary to stabilize the pH value by adding a suitable buffer to the medium, without affecting the system under investigation.

Criteria for the selection of the right buffer system:

- Selection of the buffer for the correct **pH range**
- Determination of the optimal **pH of an enzyme**
- Determination of the optimal **buffer concentration**
- Selection of buffer substances according to the **application**



| Product code | Product name | CAS number | Pack sizes |
|--------------|--|-------------|---------------------------------|
| A1060 | ACES for buffer solutions | 7365-82-4 | 1 kg |
| A3485 | Ammonium Sulfate for molecular biology | 7783-20-2 | 1 kg, 5 kg |
| A1032 | Ammonium Sulfate BioChemica | 7783-20-2 | 1 kg, 5 kg |
| A1025 | Bis-Tris for buffer solutions | 6976-37-0 | 250 g, 500 g, 1 kg |
| A1065 | CHES for buffer solutions | 103-47-9 | 250 g |
| A5097 | EDTA for molecular biology | 60-00-4 | 500 g |
| A1103 | EDTA BioChemica | 60-00-4 | 1 kg |
| A4892 | EDTA - Solution pH 8.0 (0.5 M) for molecular biology | 6381-92-6 | 100 mL, 500 mL, 1 L |
| A3145 | EDTA - Solution pH 8.0 (0.5 M) | 6381-92-6 | 1 L |
| A2937 | EDTA Disodium Salt 2-hydrate for molecular biology | 6381-92-6 | 500 g, 1 kg |
| A1067 | Glycine for molecular biology | 56-40-6 | 1 kg, 5 kg |
| A1106 | Guanidine Hydrochloride for molecular biology | 50-01-1 | 1 kg |
| A1499 | Guanidine Hydrochloride BioChemica | 50-01-1 | 1 kg, 5 kg, 10 kg, 25 kg |
| A3240 | Guanidine Hydrochloride ultrapure | 50-01-1 | 500 g, 1 kg |
| A0860 | Guanidine Hydrochloride 8 mol/L (8 M) BioChemica | 50-01-1 | 500 mL |
| A1107 | Guanidine Thiocyanate for molecular biology | 593-84-0 | 500 g, 1 kg, 5 kg, 25 kg |
| A0703 | Guanidine Thiocyanate solution (6 M in 0.1 M Tris; pH 7.5) for molecular biology | 593-84-0 | 1 L |
| A3724 | HEPES for molecular biology | 7365-45-9 | 250 g, 500 g, 1 kg |
| A1069 | HEPES for buffer solutions | 7365-45-9 | 100 g, 500 g, 1 kg, 5 kg, 25 kg |
| A6916 | HEPES buffer pH 7.5 (1 M) sterile | 7365-45-9 | 250 mL |
| A6906 | HEPES buffer pH 8.0 (1 M) sterile | 7365-45-9 | 250 mL |
| A1073 | Imidazole for buffer solutions | 288-32-4 | 500 g, 1 kg |
| A3635 | Imidazole ultrapure | 288-32-4 | 100 g, 250 g |
| A0689 | MES anhydrous BioChemica | 4432-31-9 | 250 g, 500 g, 1 kg |
| A1074 | MES 1-hydrate for buffer solutions | 145224-94-8 | 250 g, 1 kg |
| A2947 | MOPS for molecular biology | 1132-61-2 | 500 g, 1 kg |
| A1076 | MOPS for buffer solutions | 1132-61-2 | 250 g, 1 kg, 5 kg |
| A9202 | PBS tablets pH 7.2 (for 1 L) | | 10 tabs, 100 tabs |
| A9162 | PBS tablets pH 7.4 (for 100 mL) | | 100 tabs |
| A9177 | PBS tablets pH 7.4 (for 200 mL) | | 100 tabs |
| A9191 | PBS tablets pH 7.4 (for 500 mL) | | 100 tabs |
| A1079 | PIPES for buffer solutions | 5625-37-6 | 500 g |
| A2939 | Potassium Chloride for molecular biology | 7447-40-7 | 500 g |
| A1042 | di-Potassium Hydrogen Phosphate anhydrous BioChemica | 7758-11-4 | 1 kg |

>>

<<

| Product code | Product name | CAS number | Pack sizes |
|--------------|---|------------|-------------------|
| A1043 | Potassium di-Hydrogen Phosphate BioChemica | 7778-77-0 | 1 kg, 5 kg |
| A4555 | Sodium Acetate anhydrous for molecular biology | 127-09-3 | 1 kg |
| A2942 | Sodium Chloride for molecular biology | 7647-14-5 | 1 kg, 5 kg |
| A7006 | Sodium Chloride 5 mol/L (5 M) for molecular biology | 7647-14-5 | 1 L |
| A1046 | di-Sodium Hydrogen Phosphate anhydrous BioChemica | 7558-79-4 | 1 kg, 5 kg |
| A1084 | TES for buffer solutions | 7365-44-8 | 1 kg |
| A1431 | Trichloroacetic Acid (TCA) BioChemica | 76-03-9 | 1 kg |
| A0590 | Trichloroacetic Acid - Solution 20% BioChemica | 76-03-9 | 1 L |
| A1085 | Tricine BioChemica | 5704-04-1 | 250 g, 1 kg, 5 kg |
| A0697 | Trifluoroacetic Acid BioChemica | 76-05-1 | 100 mL |
| A2264 | Tris for molecular biology | 77-86-1 | 500 g, 1 kg, 5 kg |
| A1379 | Tris for buffer solutions | 77-86-1 | 1 kg, 5 kg |
| A4263 | Tris buffer pH 7.5 (1 M) for molecular biology | 77-86-1 | 500 mL |
| A4577 | Tris buffer pH 8.0 (1 M) for molecular biology | 77-86-1 | 1 L |
| A3452 | Tris Hydrochloride for molecular biology | 1185-53-1 | 500 g, 1 kg |
| A1087 | Tris Hydrochloride for buffer solutions | 1185-53-1 | 500 g, 1 kg, 5 kg |
| A1086 | Tris ultrapure | 77-86-1 | 1 kg, 5 kg, 10 kg |
| A1049 | Urea for molecular biology | 57-13-6 | 1 kg, 5 kg, 25 kg |
| A1360 | Urea BioChemica | 57-13-6 | 10 kg |

Detergents

Detergents are widely used in biochemistry, cell biology or molecular biology.

Cell lysis, protein solubilization, protein crystallization or reduction of background staining in blotting experiments are just a few of numerous applications detergents are used for.



| Product code | Product name | CAS number | Pack sizes |
|--------------|---|------------|--------------------|
| A6284 | Cetyltrimethylammonium Bromide (CTAB) for molecular biology | 57-09-0 | 500 g |
| A0805 | Cetyltrimethylammonium Bromide (CTAB) BioChemica | 57-09-0 | 100 g, 500 g |
| A1099 | CHAPS BioChemica | 75621-03-3 | 5 g, 50 g |
| A1905 | Digitonin (Reag. USP) | 11024-24-1 | 1 g, 5 g |
| A0819 | n-Dodecyl-β-D-Maltoside BioChemica | 69227-93-6 | 5 g |
| A3457 | N-Lauroylsarcosinate - Solution 30% pure | 137-16-6 | 500 mL |
| A0893 | Lecithin from Egg BioChemica | 8002-43-5 | 100 g, 500 g |
| A2218 | Lecithin from Soybean 90% | 8002-43-5 | 100 g |
| A1010 | n-Octyl-β-D-Glucopyranoside BioChemica | 29836-26-8 | 25 g |
| A1288 | Pluronio® F-68 BioChemica | 9003-11-6 | 500 g, 10 kg |
| A4518 | Saponin from Quillaja Bark (DAB) pure, pharma grade | 8047-15-2 | 100 g |
| A2542 | Saponin from Quillaja Bark pure | 8047-15-2 | 500 g, 1 kg |
| A2263 | SDS for molecular biology | 151-21-3 | 100 g, 500 g, 1 kg |
| A2572 | SDS BioChemica | 151-21-3 | 250 g, 1 kg |
| A1112 | SDS ultrapure | 151-21-3 | 100 g, 500 g, 1 kg |
| A7249 | SDS grained pure | 151-21-3 | 1 kg, 5 kg |

How to order

Distributors

For ordering our high-quality products please contact your local distributor.

ITW Reagents has distributors in the countries as follows:

| | | | |
|------------------------|-----------------|--------------|----------------|
| Algeria | Denmark | Jordan | Slovakia |
| Argentina | Ecuador | Lithuania | Slovenia |
| Austria | France | Morocco | South Korea |
| Bangladesh | Germany | Netherlands | Spain |
| Belgium | Greece | Norway | Sweden |
| Bosnia and Herzegovina | Hong Kong-China | Pakistan | Switzerland |
| Brazil | Hungary | Paraguay | Taiwan |
| Bulgaria | India | Poland | Thailand |
| Chile | Ireland | Portugal | Turkey |
| China | Israel | Romania | United Kingdom |
| Colombia | Italy | Saudi Arabia | United States |
| Croatia | Ivory Coast | Senegal | Uruguay |
| Czech Republic | Japan | Serbia | Vietnam |

For further contact details of our distributors
please visit itwreagents.com or contact our Customer Service at

customerservice.de@itwreagents.com

customerservice.es@itwreagents.com

customerservice.it@itwreagents.com

Customers - Webshop

Authorized customers from Spain, Portugal, Austria, France and Germany
can order via our webshop directly on itwreagents.com



A209,EN;202302