

ANALYSIS CERTIFICATE

CODE: 141129

BATCH: 0001494824

PRODUCT: Ammonia 25% (as NH₃) (BP, Ph. Eur.) pure, pharma grade

ISSUE DATE: 24/07/2018

RETEST DATE: 07/2024

SPECIFICATIONS	GUARANTEE VALUE	ACTUAL VALUE
Assay (Acidim.) (w/w)	25,0-27,0 %*	26,0 %*
Identity according to Pharmacopoeias:	passes test	Passes test
Density 20/20	0,901-0,907*	0,902*
Maximum limit of impurities		
Appearance of solution	passes test	Passes test
Non-volatile matter	0,002 %	0,001 %
Reducing substances to KMnO ₄	passes test	Passes test
Chloride (Cl)	0,0001%	<0,0001%
Sulphur compounds (as SO ₄)	0,0005 %	<0,0005 %
Phosphate (PO ₄)	0,0005 %	<0,0005 %
Carbonate	0,005%	<0,005%
Residual solvents (Ph.Eur.)	passes test	Passes test
Pyridine and homologues (as C ₆ H ₅ N)	0,0002%	<0,0002%
Heavy metals (as Pb)	0,0001%	<0,0001%
Ca	0,001 %	<0,001 %
Fe	0,000025 %	<0,000025 %
Mg	0,001 %	<0,001 %
Elemental impurities (ICH Q3D):		
Class 1		
Cd	0,5 ppm	<0,5 ppm
Pb	0,5 ppm	<0,5 ppm
As	1,5 ppm	<1,5 ppm
Hg	1,5 ppm	<1,5 ppm
Class 2A		
Co	5 ppm	<5 ppm
V	10 ppm	<10 ppm
Ni	20 ppm	<20 ppm
Class 2B		
Tl	0,8 ppm	<0,8 ppm
Au	10 ppm	<10 ppm
Pd	10 ppm	<10 ppm
Ir	10 ppm	<10 ppm
Os	10 ppm	<10 ppm
Rh	10 ppm	<10 ppm
Ru	10 ppm	<10 ppm
Se	15 ppm	<15 ppm
Ag	15 ppm	<15 ppm
Pt	10 ppm	<10 ppm
Class 3		
Li	55 ppm	<55 ppm
Sb	120 ppm	<120 ppm
Ba	140 ppm	<140 ppm
Mo	25 ppm	<25 ppm
Cu	250 ppm	<250 ppm
Sn	600 ppm	<600 ppm
Cr	25 ppm	<25 ppm

* At the moment of the batch analysis.

Panreac Química S.L.U.
C/Garraf, 2
Polígono Pla de la Bruguera
E-08211 Castellar del Vallès
(Barcelona) España
Tel. (+34) 937 489 400
Fax (+34) 937 489 401
e-mail: info.es@itwreagents.com
www.itwreagents.com



Quality Assurance Director
Director de Garantía Calidad
P. Verge

CODE: 141129

BATCH: 0001494824