

**ANALYSIS CERTIFICATE**

**CODE:** 272170

**BATCH:** 0001029862

**PRODUCT:** Buffer Solution pH 7.00 (20°C)

**ISSUE DATE:** 08/02/2017

**RETEST DATE:** 02/2023

SPECIFICATIONS	GUARANTEE VALUE	ACTUAL VALUE
pH value at 20°C		7,00
Uncertainty	± 0,015	

**Determination**

**The determination is carried out with a glass combined electrode, potentiometrically, by linear interpolation on a multiple point calibration, obtained with SRM of NIST:**

SRM 189c - Potassium Tetraoxalate  
SRM 188 - Potassium Hydrogen Tartrate  
SRM 185h - Potassium Hydrogen Phtalate  
SRM 186 Ig - Potassium di-Hydrogen Phosphate  
SRM 186IIg - di-Sodium Hydrogen Phosphate  
SRM 187e - Sodium Tetraborate decahydrate  
Calcium Hydroxide according to DIN 19266

**Notes**

- All chemicals used for preparing this buffer solution are for analysis, ACS quality.
- The stability of prepared solution must be checked periodically by the user.
- Don't use the solution if it is contaminated accidentally.

**Panreac Química S.L.U.**  
C/Garraf, 2  
Polígono Pla de la Bruguera  
E-08211 Castellar del Vallès  
(Barcelona) España  
Tel. (+34) 937 489 400  
Fax (+34) 937 489 401  
e-mail: info.es@itwreagents.com  
[www.itwreagents.com](http://www.itwreagents.com)



Quality Assurance Director  
Director de Garantía Calidad  
**P. Verge**

**CODE:** 272170

**BATCH:** 0001029862