

Page 1/12

Printing date 01.06.2023

Revision: 01.06.2023

Version number 9.03 (replaces version 9.02)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: N-methyl-2-pyrrolidone

· Article number: 3080

· CAS Number:

872-50-4

· EC number:

212-828-1

· Index number:

606-021-00-7

· Application of the substance / the mixture

Chemical for synthesis Laboratory chemicals

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

PANREAC QUIMICA S.L.U.

C/Garraf 2

Polígono Pla de la Bruguera

E-08211 Castellar del Vallès (Barcelona)

Tel. (+34) 937 489 400

Fax. (+34) 937 489 401

e-mail: product.safety@itwreagents.com

- · Further information obtainable from: email: product.safety@panreac.com
- · 1.4 Emergency telephone number:

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

#### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Acute Tox. 3 H331 Toxic if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Repr. 1B H360D May damage the unborn child.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

(Contd. of page 1)

Printing date 01.06.2023 Revision: 01.06.2023

Version number 9.03 (replaces version 9.02)

### Trade name: N-methyl-2-pyrrolidone

· Hazard pictograms





GHS06 GHS08

- · Signal word Danger
- · Hazard statements

H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H360D May damage the unborn child.

H335 May cause respiratory irritation.

· Precautionary statements

P201 Obtain special instructions before use.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention. P308+P313

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.1 Substances
- · CAS No. Description

872-50-4 N-methyl-2-pyrrolidone

- Identification number(s)
- · EC number: 212-828-1
- · Index number: 606-021-00-7
- ·SVHC

872-50-4 N-methyl-2-pyrrolidone

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Involve doctor immediately.

After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

· After skin contact:

Call a doctor immediately.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Call a doctor immediately.

(Contd. on page 3)

Page 3/12

(Contd. of page 2)

Printing date 01.06.2023 Revision: 01.06.2023

Version number 9.03 (replaces version 9.02)

Trade name: N-methyl-2-pyrrolidone

· After swallowing:

make victim drink water (maximum of 2 drinking glasses)

Seek medical treatment.

Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

Combustible.

- · 5.3 Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

**Additional information** 

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Contain escaping vapours with water.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid substance contact.

Do not inhale steams/aerosols.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Clean up affected area.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

• Information about fire - and explosion protection: Keep respiratory protective device available.

(Contd. on page 4)

Page 4/12

Printing date 01.06.2023 Revision: 01.06.2023

Version number 9.03 (replaces version 9.02)

Trade name: N-methyl-2-pyrrolidone

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Provide alkali-resistant floor.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Open receptacle only under localised extractor facilities.

Store receptacle in a well ventilated area.

Store under lock and key and with access restricted to technical experts or their assistants only.

- · Recommended storage temperature: Room Temperature
- · Storage class: 6.1 C
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

#### 872-50-4 N-methyl-2-pyrrolidone

WEL Short-term value: 80 mg/m³, 20 ppm Long-term value: 40 mg/m³, 10 ppm Sk

· DNELs

Dermal	Long-term - systemic effects, worker	4.8 mg/kg
Inhalative	Long-term - systemic effects, worker	10 mg/m3

· PNECs

Aquatic compartment - freshwater	0.25 mg/L	
Aquatic compartment - marine water	0.025 mg/L	
Aquatic compartment - water, intermittent releases	5 mg/L	
Aquatic compartment - sediment in freshwater	0.805 mg/kg	
Aquatic compartment - sediment in marine water	0.0805 mg/kg	
Terrestrial compartment - soil	0.138 mg/kg	
Sewage treatment plant	10 mg/L	
Oral secondary poisoning	1.67 mg/kg food	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Respiratory protection:

Filter A-(P2)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Use suitable respiratory protective device only when aerosol or mist is formed.

(Contd. on page 5)

Page 5/12

(Contd. of page 4)

Printing date 01.06.2023 Revision: 01.06.2023

Version number 9.03 (replaces version 9.02)

Trade name: N-methyl-2-pyrrolidone

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.11 mm

Value for the permeation: Level ≥ 480 min

As protection from splashes gloves made of the following materials are suitable:

Natural rubber, NR

Recommended thickness of the material: ≥ 0.11 mm

Value for the permeation: Level  $\geq$  480 min

Eye/face protection



Tightly sealed goggles

#### · Body protection:

Use protective suit.

Alkaline resistant protective clothing

### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Fluid Colourless

Odour: Weak, characteristicOdour threshold: Not determined.

· Melting point/freezing point: -24 °C

· Boiling point or initial boiling point and boiling

range 204 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

• Flash point: 91 °C • Auto-ignition temperature: 270 °C

· **Decomposition temperature:** Not determined.

· **pH** 8.5-10

· Viscosity:

· Kinematic viscosity Not determined.

(Contd. on page 6)

Page 6/12

Printing date 01.06.2023 Revision: 01.06.2023

Version number 9.03 (replaces version 9.02)

Trade name: N-methyl-2-pyrrolidone

(Contd. of page 5)

• Dynamic at 20 °C: 1.65 mPas

·Solubility

• water: Not determined. • Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 0.32 hPa

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

 $\cdot \mbox{ Important information on protection of health} \\$ 

and environment, and on safety.

· **Ignition temperature:** Not determined.

• **Explosive properties:** Product does not present an explosion hazard.

· Solvent content:

· VOC (EC) 100 % · Molecular weight 99.13 g/mol

· Change in condition

• Evaporation rate Not determined.

Information with regard to physical hazard classes

Classes

Explosives

Flammable gases

Void

Aerosols

Oxidising gases

Void

Gases under pressure

Flammable liquids

Void

Flammable solids

Flammable solids
 Self-reactive substances and mixtures
 Pyrophoric liquids
 Void
 Void

Pyrophoric solids
Self-heating substances and mixtures
Void

· Substances and mixtures, which emit flammable gases in contact with water Void

Oxidising liquids
 Oxidising solids
 Organic peroxides
 Corrosive to metals

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

Desensitised explosives

• Thermal decomposition / conditions to be avoided: Heating.

Warming. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Void

10.3 Possibility of hazardous reactions

Violent reactions possible with:

(Contd. on page 7)

(Contd. of page 6)

Printing date 01.06.2023 Revision: 01.06.2023

Version number 9.03 (replaces version 9.02)

Trade name: N-methyl-2-pyrrolidone

strong oxidants acids

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Varios plastics
- · 10.6 Hazardous decomposition products: In the event of fire: See chapter 5

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Toxic if inhaled.
- LD/LC50 values relevant for classification:

Quantitative data on the toxicological effect of this product are not available.

· Compone	nts	Type	Value	Species
Oral	LD50	4,150 mg/kg (rat)		
Dermal	LD50	>5,000 mg/kg (rabbit)	)	
Inhalative	LC50/4 h	>5.1 mg/l (rat)		

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · After inhalation: Irritant to skin and mucous membranes.
- · Reproductive toxicity May damage the unborn child.
- STOT-single exposure May cause respiratory irritation.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties Substance is not listed.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.

· Type of test	Effective concentration	Method	Assessment
----------------	-------------------------	--------	------------

EC50/72 h >500 mg/l (Aquatic plants)

EC50/24 h >1,000 mg/l (Aquatic Invertebrata)

LC50/96 h | >500 mg/l (fish)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

**о**в

Page 8/12

Printing date 01.06.2023 Revision: 01.06.2023

Version number 9.03 (replaces version 9.02)

Trade name: N-methyl-2-pyrrolidone

(Contd. of page 7)

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Chemicals must be disposed of in compliance with the respective national regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information			
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void		
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void		
· 14.3 Transport hazard class(es)			
· ADR, ADN, IMDG, IATA · Class	Void		
· 14.4 Packing group · ADR, IMDG, IATA	Void		
· 14.5 Environmental hazards:	Not applicable.		
· 14.6 Special precautions for user	Not applicable.		
· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.			
· Transport/Additional information:	Not dangerous according to the above specifications		
· UN "Model Regulation":	Void		

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category H2 ACUTE TOXIC
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations:
- Substances of very high concern (SVHC) according to UK REACH

  872-50-4 N-methyl-2-pyrrolidone
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

GE

Page 9/12

Printing date 01.06.2023 Revision: 01.06.2023

Version number 9.03 (replaces version 9.02)

Trade name: N-methyl-2-pyrrolidone

(Contd. of page 8)

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered.

## Annex: Exposure scenario 1

- · Short title of the exposure scenario Use as a reactive processing agent
- · Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · **Duration and frequency** 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture Raw material.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

Do not breathe gas/vapour/aerosol.

- Other operational conditions affecting consumer exposure No special measures required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures Ensure that suitable extractors are available on processing machines
- · Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Pregnant women should strictly avoid inhalation or skin contact.

Tightly sealed goggles

Filter A-(P2)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 10)

Printing date 01.06.2023 Revision: 01.06.2023

Page 10/12

(Contd. of page 9)

Version number 9.03 (replaces version 9.02)

#### Trade name: N-methyl-2-pyrrolidone

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Measures for consumer protection Ensure adequate labelling.
- **Environmental protection measures**
- · Water No special measures required.
- · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Worker (dermal) The calculated value is smaller than the DNEL.
- · Worker (inhalation) The calculated value is smaller than the DNEL.
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

## **Annex: Exposure scenario 2**

- · Short title of the exposure scenario Filling and transferring of substances and mixtures
- Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture Raw material.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

Do not breathe gas/vapour/aerosol.

- Other operational conditions affecting consumer exposure No special measures required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures Ensure that suitable extractors are available on processing machines
- Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eves.

Pregnant women should strictly avoid inhalation or skin contact.

Tightly sealed goggles

Filter A-(P2)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 11)

Printing date 01.06.2023

Revision: 01.06.2023

Version number 9.03 (replaces version 9.02)

Trade name: N-methyl-2-pyrrolidone

(Contd. of page 10)

Page 11/12

- · Measures for consumer protection Ensure adequate labelling.
- **Environmental protection measures**
- · Water No special measures required.
- Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

· Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Worker (dermal) The calculated value is smaller than the DNEL.
- · Worker (inhalation) The highest inhalative exposure to be expected is 17.3479 ppm.
- Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

#### **Annex: Exposure scenario 3**

- · Short title of the exposure scenario Use in laboratories
- $\cdot$  Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- Physical state Fluid
- · Concentration of the substance in the mixture Raw material.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

Do not breathe gas/vapour/aerosol.

- · Other operational conditions affecting consumer exposure No special measures required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures Ensure that suitable extractors are available on processing machines
- Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Pregnant women should strictly avoid inhalation or skin contact.

Tightly sealed goggles

Filter A-(P2)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures
- · Water No special measures required.

(Contd. on page 12)

Page 12/12

Printing date 01.06.2023 Revision: 01.06.2023

Version number 9.03 (replaces version 9.02)

Trade name: N-methyl-2-pyrrolidone

(Contd. of page 11)

### · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

#### · Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Worker (dermal) The calculated value is smaller than the DNEL.
- Worker (inhalation) The calculated value is smaller than the DNEL.
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

GB