

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Page 1/10

Printing date 25.05.2023

Revision: 25.05.2023

Version number 10.02 (replaces version 10.01)

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· Trade name: Phenol 90% aqueous solution

· Article number: 1323

· Application of the substance / the mixture Laboratory chemicals

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

PANREAC QUIMICA S.L.U.

C/Garraf 2

Polígono Pla de la Bruguera

E-08211 Castellar del Vallès (Barcelona)

Tel. (+34) 937 489 400

Fax. (+34) 937 489 401

e-mail: [product.safety@itwreagents.com](mailto:product.safety@itwreagents.com)

· **Further information obtainable from:** email: [product.safety@panreac.com](mailto:product.safety@panreac.com)

· **1.4 Emergency telephone number:**

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

**SECTION 2: Hazards identification**

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Muta. 2 H341 Suspected of causing genetic defects.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB

**Trade name: Phenol 90% aqueous solution**

(Contd. of page 1)

· **Hazard pictograms**



GHS05 GHS06 GHS08

· **Signal word** Danger

· **Hazard-determining components of labelling:**

Phenol crystalline

· **Hazard statements**

- H302 Harmful if swallowed.
- H311+H331 Toxic in contact with skin or if inhaled.
- H314 Causes severe skin burns and eye damage.
- H341 Suspected of causing genetic defects.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P321 Specific treatment (see on this label).
- P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

· **3.1 Substances**

· **Identification number(s)** 604-001-00-2

· **3.2 Mixtures**

· **Description:** Mixture: consisting of the following components.

· **Dangerous components:**

CAS: 108-95-2 EINECS: 203-632-7 Reg.nr.: 01-2119471329-32-XXXX	Phenol crystalline Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; STOT RE 2, H373; Skin Corr. 1B, H314 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 3% Skin Irrit. 2; H315: 1 % ≤ C < 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 %	>50-<100%
--	---	-----------

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

GB

(Contd. on page 3)

Trade name: Phenol 90% aqueous solution

(Contd. of page 2)

## SECTION 4: First aid measures

### · 4.1 Description of first aid measures

#### · **General information:**

Personal protection for the First Aider.

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Involve doctor immediately.

#### · **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

#### · **After skin contact:**

Call a doctor immediately.

Immediately wash with water and soap and rinse thoroughly.

Immediately remove any clothing soiled by the product.

#### · **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

#### · **After swallowing:** Call a doctor immediately.

### · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### · 5.1 Extinguishing media

#### · **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

### · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

### · 5.3 Advice for firefighters

#### · **Protective equipment:**

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

#### · **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Contain escaping vapours with water.

## SECTION 6: Accidental release measures

### · 6.1 Personal precautions, protective equipment and emergency procedures

danger of explosion!

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Do not inhale steams/aerosols.

### · 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 4)

**Trade name: Phenol 90% aqueous solution**

(Contd. of page 3)

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Clean up affected area.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· **Information about fire - and explosion protection:** Keep respiratory protective device available.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Protect from exposure to the light.

Keep container tightly sealed.

Open receptacle only under localised extractor facilities.

Store receptacle in a well ventilated area.

Store under lock and key and with access restricted to technical experts or their assistants only.

· **Recommended storage temperature:** +2 - +8°C

· **Storage class:** 6.1 A

· **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**108-95-2 Phenol crystalline**

WEL Short-term value: 16 mg/m<sup>3</sup>, 4 ppm

Long-term value: 7.8 mg/m<sup>3</sup>, 2 ppm

Sk

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

(Contd. on page 5)

**Trade name: Phenol 90% aqueous solution**

(Contd. of page 4)

- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Use suitable respiratory protective device only when aerosol or mist is formed.

- **Recommended filter device for short term use:** Filter ABEK

- **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact gloves made of the following materials are suitable:**

Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.3$  mm

Value for the permeation: Level  $\geq 480$  min

- **As protection from splashes gloves made of the following materials are suitable:**

Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.11$  mm

Value for the permeation: Level  $\geq 120$  min

- **Eye/face protection**



Gauze goggles

- **Body protection:**

Use protective suit.

Full head, face and neck protection

- **Environmental exposure controls** Do not allow product to reach sewage system or any water course.

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Physical state**

Fluid

- **Colour:**

Colourless

- **Odour:**

Characteristic

- **Odour threshold:**

Not determined.

- **Melting point/freezing point:**

Undetermined.

- **Boiling point or initial boiling point and boiling range**

Undetermined.

- **Flammability**

Not applicable.

(Contd. on page 6)

Trade name: Phenol 90% aqueous solution

(Contd. of page 5)

· Lower and upper explosion limit	
· Lower:	1.8 Vol %
· Upper:	8.6 Vol %
· Flash point:	79 °C
· Auto-ignition temperature:	595 °C
· Decomposition temperature:	Not determined.
· pH at 20 °C	~4
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Not determined.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Organic solvents:	90.0 %
· Water:	10.0 %
· VOC (EC)	90.00 %
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void

(Contd. on page 7)

Trade name: Phenol 90% aqueous solution

(Contd. of page 6)

· **Desensitised explosives** Void

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
 No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** In the event of fire: See chapter 5
- **Additional information:** light sensitive

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**  
 Harmful if swallowed.  
 Toxic in contact with skin or if inhaled.
- **LD/LC50 values relevant for classification:**  
 Quantitative data on the toxicological effect of this product are not available.

Components	Type	Value	Species
------------	------	-------	---------

### ATE (Acute Toxicity Estimates)

Oral	LD50	352 mg/kg (rat)	
Dermal	LD50	743 mg/kg (rat)	
Inhalative	LC50/4 h	0.56 mg/l	

### 108-95-2 Phenol crystalline

Oral	LD50	317 mg/kg (rat)	
Dermal	LD50	669 mg/kg (rat)	
		850 mg/kg (rabbit)	
Inhalative	LC50/4 h	0.5 mg/l (ATE)	

- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **After inhalation:** Strong caustic effect on skin and mucous membranes.
- **Germ cell mutagenicity** Suspected of causing genetic defects.
- **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.

(Contd. on page 8)

Trade name: Phenol 90% aqueous solution

(Contd. of page 7)

Type of test	Effective concentration	Method	Assessment
--------------	-------------------------	--------	------------

**108-95-2 Phenol crystalline**

EC50/48 h	3.1 mg/l (daphnia magna)
EC50/96 h	61.1 mg/l (Algae)
LC50/96 h	8.9-67.5 mg/l (fish)

- **12.2 Persistence and degradability** The product is easily biodegradable.
- **12.3 Bioaccumulative potential**  
Due to the distribution coefficient n-octanol/water a worth-mentioning accumulation in organisms is not expected.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Danger to drinking water if even small quantities leak into the ground.  
Harmful to aquatic organisms

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Chemicals must be disposed of in compliance with the respective national regulations.  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:**  
Disposal must be made according to official regulations.  
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

### SECTION 14: Transport information

- |                                       |                 |
|---------------------------------------|-----------------|
| · <b>14.1 UN number or ID number</b>  |                 |
| · <b>ADR, IMDG, IATA</b>              | UN2821          |
| · <b>14.2 UN proper shipping name</b> |                 |
| · <b>ADR, IMDG, IATA</b>              | PHENOL SOLUTION |

(Contd. on page 9)

GB



Trade name: Phenol 90% aqueous solution

(Contd. of page 8)

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class** 6.1 (T1) Toxic substances.  
· **Label** 6.1

· **IMDG, IATA**



· **Class** 6.1 Toxic substances.  
· **Label** 6.1

· **14.4 Packing group**

· **ADR, IMDG, IATA** II

· **14.5 Environmental hazards:** Not applicable.

· **14.6 Special precautions for user**

· **Hazard identification number (Kemler code):** Warning: Toxic substances.  
· **EMS Number:** 60  
· **Stowage Category:** F-A,S-A  
A

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**

· **ADR**

· **Limited quantities (LQ)** 100 ml  
· **Excepted quantities (EQ)** Code: E4  
Maximum net quantity per inner packaging: 1 ml  
Maximum net quantity per outer packaging: 500 ml  
· **Transport category** 2  
· **Tunnel restriction code** D/E

· **IMDG**

· **Limited quantities (LQ)** 100 ml  
· **Excepted quantities (EQ)** Code: E4  
Maximum net quantity per inner packaging: 1 ml  
Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN 2821 PHENOL SOLUTION, 6.1, II

**SECTION 15: Regulatory information**

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category H2 ACUTE TOXIC**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t

(Contd. on page 10)

**Trade name: Phenol 90% aqueous solution**

(Contd. of page 9)

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · **Relevant phrases**

- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H331 Toxic if inhaled.
- H341 Suspected of causing genetic defects.
- H373 May cause damage to organs through prolonged or repeated exposure.

### · **Abbreviations and acronyms:**

- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- ICAO: International Civil Aviation Organisation
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 3: Acute toxicity – Category 3
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Corr. 1B: Skin corrosion/irritation – Category 1B
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Muta. 2: Germ cell mutagenicity – Category 2
- STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- **\* Data compared to the previous version altered.**