


PRODUCT CODE: 251769

Xylene, mixture of isomers (CE-IVD) for clinical diagnostics

In Vitro Diagnostic medical device class A in compliance to the Regulation (EU) 2017/746.

C₈H₁₀

C₈H₁₀



M.= 106,17

CAS [1330-20-7]

EINECS 215-535-7

TARIC 2902 44 00 00

SYNONYMS: Dimethylbenzene, Xilol

PHYSICAL DATA: liquid, Clear, Colourless, Soluble in water 0,2 g/l at 20 °C D 20/4 0,864 • B.P.: 137 - 144 °C • n₂₀/D : 1,497 • Flash P.:29 °C • Ign. T.:465 °C • Vap. press. (20 °C) 8 hPa • Dielec. constant25 °C 2,4 • Evap. number (DIN 53170) 13,5 • Satur. conc. 20 °C 35 g/m³ • Expl. limit1,7 %(V)7,6 %(V) •

BIBLIOGRAPHY: Merck Index **12**, 10.214 13, 10.136 Sax **XGS000** • Safety **2** , **3619 C** • Kühn-Birett **X 3** • Ullmann **(5.)13** , 409 • Beilstein **5** , **360** • ACS **XI** • ISO 6353/3-1987R - 95 , 74 • Laboratory Methods in Histotechnology ; AFIP 29(1992), Ph. Helv. VI •

HAZARDOUS: C.E: 601-022-00-9 • RTECS: ZE 2100000 • LD L0 oral man 50 mg/kg • LD L0 oral hmn 50 mg/kg • LD50 oral rat 4.300 mg/kg • LC L0 inh man 5320 ppm / 8h • LC L0 man 10000ppm (V) / 6h • LC L0 inh rat 5000 ppm / 4h • VLA-EC 100 ppm442 mg/m³ VLA-ED 50 ppm221 mg/m³



H: H226 • H332 • H312 • H315 • H304 • H319 • H335 • H373 •

P: P210 • P233 • P240 • P241 • P242 • P501 • P243 • P261 • P264 • P271 • P280 • P302+P352 • P303+P361+P353 • P304+P340 • P312 • P321 • P322 • P332+P313 • P362 • P363 • P370+P378 • P403+P235 •

TRANSPORT REGULATIONS: UN: 1307 • ADR: 3/III • IMDG: 3/III • IATA: 3/III • PAX: 355 • CAO: 366 • (D/E) •

WEIGHT/VOLUME INFORMATION: 1l~0,865 kg 1kg~1,156 l

SPECIFICATIONS:

| | |
|--|----------------|
| Minimum assay (G.C.) (isomers mixture C ₈ H ₁₀) | 97% |
| Identity : | |
| Identity | IR passes test |